CementPro

3929 E Guasti Rd. Unit C, Ontario, CA, United States

For the following product(s):

Floor Mortars:

Deck Mud Pro, Fast Pro, Flex Pro, Level Pro, Maxibond Pro, Maxibond Pro LFT, Multi Pro, Patch Pro, Stone Pro, Thin Set Pro, Ultra Pro

The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

Indoor Advantage™ Gold

Indoor Air Quality Certified to SCS-EC10.3-2014 v4.1

Conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 for the school classroom, private office, and single-family residence parameters when modeled as Flooring. Also, conforms to the SCAQMD Rule 1168 - Adhesive and Sealants (January 2005). Standard Product Application Amount: 2441 g/m2

Measured Concentration of Total Volatile Organic Compounds (TVOC): 0.5 mg/m3 or less (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Methylene Chloride and Perchloroethylene are not intentionally added to certified products

Registration # SCS-IAQ-09453

Valid from: October 10, 2023 to October 9, 2024







CementPro

3929 E Guasti Rd. Unit C, Ontario, CA, United States

For the following product(s):

Wall Mortars:

Fast Pro, Flex Pro, Maxibond Pro, Maxibond Pro LFT, Multi Pro, Stone Pro, Ultra Pro, Wall Float Pro

The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

Indoor Advantage™ Gold

Indoor Air Quality Certified to SCS-EC10.3-2014 v4.1

Conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 for the school classroom, private office, and single-family residence parameters when modeled as Flooring. Also, conforms to the SCAQMD Rule 1168 - Adhesive and Sealants (January 2005). Standard Product Application Amount: 2441 g/m2

Measured Concentration of Total Volatile Organic Compounds (TVOC): 0.5 mg/m3 or less (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Methylene Chloride and Perchloroethylene are not intentionally added to certified products

Registration # SCS-IAQ-09454

Valid from: October 10, 2023 to October 9, 2024







Tanky Mather Kam

CementPro

3929 E Guasti Rd. Unit C, Ontario, CA, United States

For the following product(s):

Ceiling Mortars:

Wall Float Pro

The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

Indoor Advantage™ Gold

Indoor Air Quality Certified to SCS-EC10.3-2014 v4.1

Conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 for the school classroom, private office, and single-family residence parameters when modeled as Flooring. Also, conforms to the SCAQMD Rule 1168 - Adhesive and Sealants (January 2005). Standard Product Application Amount: 2441 g/m2

Measured Concentration of Total Volatile Organic Compounds (TVOC): 0.5 mg/m3 or less (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Methylene Chloride and Perchloroethylene are not intentionally added to certified products

Registration # SCS-IAQ-09455

Valid from: October 10, 2023 to October 9, 2024







Stanley Mather Ram

CementPro

3929 E Guasti Rd. Unit C, Ontario, CA, United States

For the following product(s):

Adhesives:

Concrete Glue, CP25, CP50, Pro Mastic, Vinyl Pro

The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

Indoor Advantage™ Gold

Indoor Air Quality Certified to SCS-EC10.3-2014 v4.1

Conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 for the school classroom, private office, and single-family residence parameters when modeled as Flooring. Also, conforms to the SCAQMD Rule 1168 - Adhesive and Sealants (January 2005). Standard Product Application Amount: 27 g/m2

Measured Concentration of Total Volatile Organic Compounds (TVOC): 0.5 mg/m3 or less (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Methylene Chloride and Perchloroethylene are not intentionally added to certified products

Registration # SCS-IAQ-09456

Valid from: October 10, 2023 to October 9, 2024







Stanley Mather Ram

CementPro

3929 E Guasti Rd. Unit C, Ontario, CA, United States

For the following product(s):

Sealants:

Elastic Pro, Grout Sealer, Poly-Pro Non Sanded Grout, Poly-Pro Sanded Grout

The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

Indoor Advantage™ Gold

Indoor Air Quality Certified to SCS-EC10.3-2014 v4.1

Conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 for the school classroom, private office, and single-family residence parameters when modeled as Flooring. Also, conforms to the SCAQMD Rule 1168 - Adhesive and Sealants (January 2005). Standard Product Application Amount: 171 g/m2

Measured Concentration of Total Volatile Organic Compounds (TVOC): 0.5 mg/m3 or less (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Methylene Chloride and Perchloroethylene are not intentionally added to certified products

Registration # SCS-IAQ-09457

Valid from: October 10, 2023 to October 9, 2024







Dranley Mather Kam