



REMOVER PRO

MATERIAL SAFETY DATA SHEET

Biodegradable liquid design to clean dried cement from tools.

1 PRODUCT AND COMPANY IDENTIFICATION

TRADE NAME:

REMOVER PRO

CHEMICAL FAMILY:

Glycolic acid dilution

MANUFACTURER:

CEMPRO LLC
3929 E Guasti Rd Unit C.
Ontario, Ca 91761
phone: 951 300 0300
www.cementpro.com



2 COMPOSITION AND INFORMATION ON INGREDIENTS

INGREDIENT	CAS NUMBER	PERCENT (WT)
Glycolic acid	79 - 14 - 1	< 30 %

3 HAZARDS IDENTIFICATION

Inhalation exposure: The vapors produced by this product can cause irritation to the respiratory tract.

Skin contact: Prolonged contact with skin can cause irritation.

Eyes contact: Exposure to dry Portland cement can cause immediate or delayed irritation or inflammation.

Ingestion: Can cause irritation.



REMOVER PRO

MATERIAL SAFETY DATA SHEET

4 FIRST AID MEASURES

Inhalation: Remove to fresh air. Get medical attention immediately.
Skin contact: Remove excess from the skin and promptly wash contaminated skin with water. Get medical attention immediately if the irritation, redness, rash or blistering develops and persists.
Eye contact: Gently blot or wipe any residue remaining on the face. Flush eyes with plenty of water for 15 minutes. Get medical attention if the irritation persists.
Ingestion: DO NOT INDUCE VOMITING. If the victim is fully conscious, give one or two cups of water or milk to drink. Get medical attention immediately.

5 FIRE FIGHTING MEASURES

Flash point: Not applicable. Water based product.
Flammable limits: Not applicable.
Autoignition Temperature: Not applicable.
Fire extinguishing materials: Water spray, foam, carbon dioxide, dry chemical.
Special fire fighting procedures: Not applicable.
Hazardous combustion products: Incomplete combustion of dried product can yield low molecular weight hydrocarbons, carbon monoxide, and carbon dioxide.
Unusual fire and explosion hazards: Material will not burn until all water has evaporated.

6 DISPOSAL PROCEDURES

Clean up spill immediately. Cover using an absorbent inert material to contain. Transfer collected material to a container. Avoid runoff to waterways and sewers. Avoid release to the environment. Wear appropriate equipment to prevent skin and eyes contact.
Note: Dispose of all wastes in accordance with federal, state, and local regulations.

7 HANDLING AND STORAGE

Handling and storage precautions: Use only with adequate ventilation. Wear appropriate protective equipment. Keep the container closed when not in use.
Storage precautions: Store in cool, dry areas away from sunlight and heat. Avoid extremes temperatures in storage.

8 EXPOSURE CONTROL AND PERSONAL PROTECTION

Ventilation: Use with adequate ventilation
Respiratory protection: In case of inadequate ventilation wear a NIOSH approved respirator.
Skin protection: Safety glasses or goggles recommended.
Eye protection: Safety glasses or goggles recommended.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Green liquid
Odor: Acid odor
Chemical type: Mixture
Physical state: Fluid paste
Boiling point: 190 – 210 °F
Density: 11.7 lb/gl
Solubility: Soluble in water
PH: 2.5 – 3.0
Voc: < 2%
Specific gravity: 1.5



REMOVER PRO

MATERIAL SAFETY DATA SHEET

- 10 STABILITY AND REACTIVITY** Stability: Stable
Hazardous polymerization: Will not occur.
Hazardous decomposition products: Will not spontaneously occur. By fire may yield low molecular weight hydrocarbons, carbon dioxide and monoxide.
Incompatibility: Avoid contact with strong oxidizers.
- 11 TOXICOLOGICAL INFORMATION** Chronic / carcinogenicity: Contains silica sand, known human carcinogen (category 1)
- 12 ECOLOGICAL INFORMATION** Not Available
- 13 DISPOSAL INFORMATION** This product must be disposed in compliance with local, state, and federal regulations.
- 14 TRANSPORT INFORMATION** DOT Shipping label. NOT REGULATED.
- 15 REGULATORY INFORMATION** State regulation:
Cement Pro LLC as a blender of processed material in the State of California, we are required by Proposition 65 to warn that the following chemicals are present in this product in small amount. These chemicals are listed by the California EPA as materials known to the State of California to cause cancer, and/or birth defects, and/or other reproductive harm. The State of California (Proposition 65) requires the above warning
in the absence of definitive testing to prove that the defined risks do not exist.
We believe this product complies with all other applicable state and federal laws and regulations governing manufacture, distribution and intended use.
- 16 OTHER INFORMATION** HMIS RATING
HEALTH: 2
FIRE: 0
REACTIVITY: 0
PERSONAL PROTECTION: E